



Re: Metal Bank design approval 📎

Sharon Fang to: Sharon Fang

05/27/2008 10:06 AM

Cc: [Exemption 4 - CBI], Bruce Pluta, Bruce Rundell, "Jordanger, Dan",
ed.putnam, John Monsees, "Dobi, John S.", "Vitale, Joseph",
kathleen_patnode, Kelly Madalinski, [Exemption 4 - CBI], mconaron,

Hi All,

I apologize for the typo in the email below. John and I spoke Thursday, May 22nd. I drafted the email on Thursday, but didn't get to finalizing it until this morning. Sorry for the snafu.

Sharon Fang, P.E.
Eastern PA Remediation Branch
Environmental Protection Agency, Region III
1650 Arch Street, 3HS21
Philadelphia, PA 19103-2029
phone 215-814-3018, fax 3002
Sharon Fang/R3/USEPA/US



Sharon Fang/R3/USEPA/US

05/27/2008 09:42 AM

To "Dobi, John S." <John.Dobi@pseg.com>

cc [Exemption 4 - CBI], Bruce Pluta/R3/USEPA/US@EPA,
Bruce Rundell/R3/USEPA/US@EPA, "Jordanger, Dan"
<djordanger@hunton.com>, ed.putnam@dep.state.nj.us,
John Monsees/R3/USEPA/US@EPA, "Vitale, Joseph"
<JVitale@PIRNIE.COM>, kathleen_patnode@fws.gov, Kelly
Madalinski/DC/USEPA/US@EPA, [Exemption 4 - CBI]
mconaron@state.pa.us,
Paul.R.Schroeder@erdc.usace.army.mil, Peter
Ludzia/R3/USEPA/US@EPA,
william.muszynski@drbc.state.nj.us

Subject Metal Bank design approval 📎

Dear John,

This email is to clarify the email below per our phone conversation today. Pat McManus approved the design upon conditions in his 2/28/08 letter. The additional information was received with a cover letter 4/10/08 and reviewed for adequacy. The additional items are acceptable and are incorporated into the design per the email below. Therefore the design is approved in accordance with Section XI of the Consent Decree. Paragraph 38 specifically states "In the event of approval, approval upon conditions... Settling Third-Party Defendants shall proceed to take any action..."

Because EPA is reviewing the billing, there should be no Remedial Design charges for activities after the date of the email below (4/28/08). Subsequent charges should be classified Remedial Action.

Please advise me of your planned date of mobilization. Thanks,

Sharon Fang, P.E.
Eastern PA Remediation Branch
Environmental Protection Agency, Region III
1650 Arch Street, 3HS21
Philadelphia, PA 19103-2029
phone 215-814-3018, fax 3002

Sharon Fang/R3/USEPA/US



Sharon Fang/R3/USEPA/US

04/28/2008 10:42 AM

To "Dobi, John S." <John.Dobi@pseg.com>

cc "Jordanger, Dan" <djordanger@hunton.com>, "Dobi, John S." <John.Dobi@pseg.com>, "Vitale, Joseph" <JVitale@PIRNIE.COM>, John Monsees/R3/USEPA/US@EPA, [REDACTED], [REDACTED], kathleen_patnode@fws.gov, Bruce Pluta/R3/USEPA/US@EPA, Bruce Rundell/R3/USEPA/US@EPA, Paul.R.Schroeder@erdc.usace.army.mil, mconaron@state.pa.us, Kelly Madalinski/DC/USEPA/US@EPA, william.muszynski@drbc.state.nj.us, ed.putnam@dep.state.nj.us, Peter Ludzia/R3/USEPA/US@EPA

Subject Metal Bank six design items

Hi John,

We have reviewed the responses (with a cover letter dated 4/10/08) to Pat McManus' letter (2/28/08) which approved the design with comments. The responses appear adequate. The additional pages are inserted into the final design.

Sharon Fang, P.E.
Eastern PA Remediation Branch
Environmental Protection Agency, Region III
1650 Arch Street, 3HS21
Philadelphia, PA 19103-2029
phone 215-814-3018, fax 3002
"Dobi, John S." <John.Dobi@pseg.com>



"Dobi, John S."
<John.Dobi@pseg.com>

04/17/2008 03:15 PM

To Sharon Fang/R3/USEPA/US@EPA

cc "Jordanger, Dan" <djordanger@hunton.com>, "Vitale, Joseph" <JVitale@PIRNIE.COM>, "Dobi, John S." <John.Dobi@pseg.com>

Subject Formal Request for approval

Sharon,

During the conversation we had two weeks ago with CDM and Joe Vitale, of Malcolm Pirnie, I requested, that once you are satisfied with our responses all comments, you provide us with an e-mail or letter. The conditional approval that Pat McManus sent on February 28 has been a large milestone. We would like your acknowledgement of approval that will allow us to begin to commence to provide the deliverables as specified by the Consent Decree.

You will shortly receive a terse and focused response to the items that Joe reported to me and Dan Jordanger

Have a nice weekend.

John

John S. Dobi, Ph.D.
Project Manager Licenses and Permits
PSEG Licenses and Permits
80 Park Plaza T17H
Newark, N.J. 07102

Phone 973 430 8036
Cell 973 610 3108
Fax 973 624 9047
E-mail: John.Dobi @PSEG.com

The information contained in this e-mail, including any attachment(s), is intended solely for use by the named addressee(s). If you are not the intended recipient, or a person designated as responsible for delivering such messages to the intended recipient, you are not authorized to disclose, copy, distribute or retain this message, in whole or in part, without written authorization from PSEG. This e-mail may contain proprietary, confidential or privileged information. If you have received this message in error, please notify the sender immediately. This notice is included in all e-mail messages leaving PSEG. Thank you for your cooperation.